ELSEVIER

Journal of Crystal Growth 209 (2000) 1024–1035

JOURNAL OF CRYSTAL GROWTH

www.elsevier.nl/locate/jcrysgro

Author index

Adachi, G.Y., see Imanaka, N. 209 (2000) 217
Adachi, M., see Saravanan, S. 209 (2000) 621
Aguilar, L., see Freundlich, A. 209 (2000) 481
Aguiló, M., see Vasco, E. 209 (2000) 883
Akaishi, M. and S. Yamaoka, Crystallization of diamond from C–O–H fluids under high-pressure and high-temperature conditions 209 (2000) 999
Akasaki, I., see Kariya, M. 209 (2000) 419
Akazawa, H., Growth mode of thin $Si_{1-x}Ge_x$ films on Si (1 0 0) monitored by spectroscopic ellipsometry 209 (2000) 311
Akimoto, K., see Morishima, S. 209 (2000) 378
Akinaga, H., see Mizuguchi, M. 209 (2000) 552
Akinaga, H., see Ono, K. 209 (2000) 556
Akiyama, S., see Habuka, H. 209 (2000) 807
Alboussière, T., see Garandet, J.P. 209 (2000) 970
Albrecht, P., see Gibis, R. 209 (2000) 463
Amano, C., see Tateno, K. 209 (2000) 605
Amano, H., see Kariya, M. 209 (2000) 419
Ametov, I., see Prestidge, C.A. 209 (2000) 924
André, P., see Benchimol, J.L. 209 (2000) 476
Aoyagi, Y., see Shen, X.Q. 209 (2000) 396
Arai, K., see Bahng, W. 209 (2000) 767
Araki, T., Y. Chiba, M. Nobata, Y. Nishioka and Y. Nanishi, Structural characterization of GaN grown by hydrogen-assisted ECR-MBE using electron microscopy 209 (2000) 368
Asahi, H., see Hiroki, M. 209 (2000) 387
Asahi, H., see Zhou, Y.K. 209 (2000) 547
Asami, K., see Hiroki, M. 209 (2000) 387
Asami, K., see Zhou, Y.K. 209 (2000) 547
Ashino, T., see Inushima, T. 209 (2000) 406
Avramescu, A., see Ueta, A. 209 (2000) 518
Awaji, S., see Hamai, M. 209 (2000) 1013
Ayabe, A., see Zhou, Y.K. 209 (2000) 547
Ayling, S.G., see Balmer, R.S. 209 (2000) 486

Bahng, W., Y. Kitou, S. Nishizawa, H. Yamaguchi, M. Nasir Khan, N. Oyanagi, S. Nishino and K. Arai, Rapid enlargement of SiC single crystal using a cone-shaped platform 209 (2000) 767
Bai, Z.G., see Chen, X.L. 209 (2000) 208
Bai, Z.G., see Feng, S.Q. 209 (2000) 513
Balakrishnan, K., see Sonoda, S. 209 (2000) 364
Balmer, R.S., T. Martin, M.J. Kane, J.O. Maclean, T.J. Whitaker, S.G. Ayling, P.D.J. Calcott, M. Houlton, J.P. Newey and S.J. O'Mahony, Integrated laser/waveguide by shadow-masked selective area epitaxy using chemical beam epitaxy (CBE) 209 (2000) 486
Baños, L., see Pérez Bueno, J.J. 209 (2000) 701
Bao, C.L., see Zhang, M.H. 209 (2000) 37
Baquero, R., see Pérez Bueno, J.J. 209 (2000) 701
Baron, T., F. Martin, P. Mur, C. Wyon and M. Dupuy, Silicon quantum dot nucleation on Si_3N_4, SiO_2 and SiO_xN_y substrates for nanoelectronic devices 209 (2000) 1004
Baumeister, H., see Kröner, P. 209 (2000) 424
Bechhoefer, J., see Degen, M.M. 209 (2000) 953
Benchimol, J.L., J. Mba, B. Sermage, M. Riet, S. Blayac, P. Berdaguer, A.M. Duchenois, P. André, J. Thuret, C. Gonzalez and A. Konczykowska, Investigation of carbon-doped base materials grown by CBE for Al-free InP HBTs 209 (2000) 476
Benjamin, S.D., see Pinkney, H. 209 (2000) 237
Bente, K., see Wagner, G. 209 (2000) 68
Berdaguer, P., see Benchimol, J.L. 209 (2000) 476
Beregi, E., see Péter, Á. 209 (2000) 102
Berkowski, M., J. Fink-Finowicki, W. Piekarczyk, L. Perchuć, P. Byszewski, L.O. Vasylechko, D.I. Savytskij, K. Mazur, J. Sass, E. Kowalska and J. Kapuśniak, Czochralski growth and structural investigations of $La_{1-x}Nd_xGaO_3$ solid solution single crystals 209 (2000) 75
Bertru, N., see Fréchengues, S. 209 (2000) 661
Bibes, M., see Trtík, V. 209 (2000) 842
Biefeld, R.M. and J.D. Phillips, Growth of InSb on GaAs using InAlSb buffer layers 209 (2000) 567
Bimberg, D., see Gibis, R. 209 (2000) 499
Birch, J., see Madsen, L.D. 209 (2000) 91
Blayac, S., see Benchimol, J.L. 209 (2000) 476
Bock, K., see Han, P. 209 (2000) 315

0022-0248/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0022-0248(00)00002-6

ELSEVIER

Journal of Crystal Growth 209 (2000) 1024–1035

JOURNAL OF CRYSTAL GROWTH

www.elsevier.nl/locate/jcrysgro

Author index

Adachi, G.Y., see Imanaka, N. 209 (2000) 217
Adachi, M., see Saravanan, S. 209 (2000) 621
Aguilar, L., see Freundlich, A. 209 (2000) 481
Aguiló, M., see Vasco, E. 209 (2000) 883
Akaishi, M. and S. Yamaoka, Crystallization of diamond from C–O–H fluids under high-pressure and high-temperature conditions 209 (2000) 999
Akasaki, I., see Kariya, M. 209 (2000) 419
Akazawa, H., Growth mode of thin $Si_{1-x}Ge_x$ films on Si (1 0 0) monitored by spectroscopic ellipsometry 209 (2000) 311
Akimoto, K., see Morishima, S. 209 (2000) 378
Akinaga, H., see Mizuguchi, M. 209 (2000) 552
Akinaga, H., see Ono, K. 209 (2000) 556
Akiyama, S., see Habuka, H. 209 (2000) 807
Alboussière, T., see Garandet, J.P. 209 (2000) 970
Albrecht, P., see Gibis, R. 209 (2000) 463
Amano, C., see Tateno, K. 209 (2000) 605
Amano, H., see Kariya, M. 209 (2000) 419
Ametov, I., see Prestidge, C.A. 209 (2000) 924
André, P., see Benchimol, J.L. 209 (2000) 476
Aoyagi, Y., see Shen, X.Q. 209 (2000) 396
Arai, K., see Bahng, W. 209 (2000) 767
Araki, T., Y. Chiba, M. Nobata, Y. Nishioka and Y. Nanishi, Structural characterization of GaN grown by hydrogen-assisted ECR-MBE using electron microscopy 209 (2000) 368
Asahi, H., see Hiroki, M. 209 (2000) 387
Asahi, H., see Zhou, Y.K. 209 (2000) 547
Asami, K., see Hiroki, M. 209 (2000) 387
Asami, K., see Zhou, Y.K. 209 (2000) 547
Ashino, T., see Inushima, T. 209 (2000) 406
Avramescu, A., see Ueta, A. 209 (2000) 518
Awaji, S., see Hamai, M. 209 (2000) 1013
Ayabe, A., see Zhou, Y.K. 209 (2000) 547
Ayling, S.G., see Balmer, R.S. 209 (2000) 486

Bahng, W., Y. Kitou, S. Nishizawa, H. Yamaguchi, M. Nasir Khan, N. Oyanagi, S. Nishino and K. Arai, Rapid enlargement of SiC single crystal using a cone-shaped platform 209 (2000) 767
Bai, Z.G., see Chen, X.L. 209 (2000) 208
Bai, Z.G., see Feng, S.Q. 209 (2000) 513
Balakrishnan, K., see Sonoda, S. 209 (2000) 364
Balmer, R.S., T. Martin, M.J. Kane, J.O. Maclean, T.J. Whitaker, S.G. Ayling, P.D.J. Calcott, M. Houlton, J.P. Newey and S.J. O'Mahony, Integrated laser/waveguide by shadow-masked selective area epitaxy using chemical beam epitaxy (CBE) 209 (2000) 486
Baños, L., see Pérez Bueno, J.J. 209 (2000) 701
Bao, C.L., see Zhang, M.H. 209 (2000) 37
Baquero, R., see Pérez Bueno, J.J. 209 (2000) 701
Baron, T., F. Martin, P. Mur, C. Wyon and M. Dupuy, Silicon quantum dot nucleation on Si_3N_4, SiO_2 and SiO_xN_y substrates for nanoelectronic devices 209 (2000) 1004
Baumeister, H., see Kröner, P. 209 (2000) 424
Bechhoefer, J., see Degen, M.M. 209 (2000) 953
Benchimol, J.L., J. Mba, B. Sermage, M. Riet, S. Blayac, P. Berdaguer, A.M. Duchenois, P. André, J. Thuret, C. Gonzalez and A. Konczykowska, Investigation of carbon-doped base materials grown by CBE for Al-free InP HBTs 209 (2000) 476
Benjamin, S.D., see Pinkney, H. 209 (2000) 237
Bente, K., see Wagner, G. 209 (2000) 68
Berdaguer, P., see Benchimol, J.L. 209 (2000) 476
Beregi, E., see Péter, Á. 209 (2000) 102
Berkowski, M., J. Fink-Finowicki, W. Piekarczyk, L. Perchuć, P. Byszewski, L.O. Vasylechko, D.I. Savytskij, K. Mazur, J. Sass, E. Kowalska and J. Kapuśniak, Czochralski growth and structural investigations of $La_{1-x}Nd_xGaO_3$ solid solution single crystals 209 (2000) 75
Bertru, N., see Fréchengues, S. 209 (2000) 661
Bibes, M., see Trtík, V. 209 (2000) 842
Biefeld, R.M. and J.D. Phillips, Growth of InSb on GaAs using InAlSb buffer layers 209 (2000) 567
Bimberg, D., see Gibis, R. 209 (2000) 499
Birch, J., see Madsen, L.D. 209 (2000) 91
Blayac, S., see Benchimol, J.L. 209 (2000) 476
Bock, K., see Han, P. 209 (2000) 315

0022-0248/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0022-0248(00)00002-6

Bögels, G., see Plomp, M. 209 (2000) 911
Bollen, D., see Plomp, M. 209 (2000) 911
Boulon, G., see Gallucci, E. 209 (2000) 895
Bressiani, A.H.A., see Ranieri, I.M. 209 (2000) 906
Brihi, N., see Guergouri, K. 209 (2000) 709
Bruns, L., see Schoof, H. 209 (2000) 122
Bühler, J. and Y. Prior, Study of morphological behavior of single diamond crystals 209 (2000) 779
Buijnsters, J.G., see Plomp, M. 209 (2000) 911
Byszewski, P., see Berkowski, M. 209 (2000) 75

Cacciatore, C., see Rigo, C. 209 (2000) 471
Calcott, P.D.J., see Balmer, R.S. 209 (2000) 486
Campi, D., see Rigo, C. 209 (2000) 471
Cannoletta, D., see Trojánek, F. 209 (2000) 695
Cao, Y.G., see Chen, X.L. 209 (2000) 208
Carline, R.T., see Robbins, D.J. 209 (2000) 290
Carlsson, S.-B., see Ohlsson, B.J. 209 (2000) 454
Caro, J., J. Fraxedas and A. Figueras, Thickness-dependent spherulitic growth observed in thin films of the molecular organic radical *p*-nitrophenyl nitronyl nitroxide 209 (2000) 146
Cha, O.H., see Jeong, M.S. 209 (2000) 789
Charavel, R., see Madsen, L.D. 209 (2000) 91
Chen, J.X., see Yang, Q.K. 209 (2000) 8
Chen, X.L., Y.G. Cao, Y.C. Lan, X.P. Xu, J.Q. Li, K.Q. Lu, P.Z. Jiang, T. Xu, Z.G. Bai, Y.D. Yu and J.K. Liang, Synthesis and structure of nanocrystal-assembled bulk GaN 209 (2000) 208
Chen, Y., see Hong, S.-K. 209 (2000) 537
Chen, Y., see Ko, H.J. 209 (2000) 816
Chen, Y., G.H. Li, W. Zhang, Z.M. Zhu, H.X. Han, Z.P. Wang, W. Zhou and Z.G. Wang, Self-ordering of quasi-quantum wire in InAlAs/AlGaAs multilayer nanostructure and its optical anisotropy 209 (2000) 994
Chen, Z., see Schlenker, D. 209 (2000) 27
Cheng, Y., see Zhang, W. 209 (2000) 213
Chiba, Y., see Araki, T. 209 (2000) 368
Cho, S.H. and H. Okumura, RF MBE growth of quasi-InGaN alloys by using multilayer structure 209 (2000) 401
Choi, H.S., see Shin, D.S. 209 (2000) 1009
Choi, I.-H., see Shin, D.S. 209 (2000) 1009
Cingolani, R., see Trojánek, F. 209 (2000) 695
Cohen-Adad, M.Th., see Gallucci, E. 209 (2000) 895
Contour, J.-P., see Khodan, A.N. 209 (2000) 828
Coriasso, C., see Rigo, C. 209 (2000) 471
Corre, S., see Garandet, J.P. 209 (2000) 970
Costanzino, N., see Degen, M.M. 209 (2000) 953
Courrol, L.C., see Ranieri, I.M. 209 (2000) 906
Coward, K.M., A.C. Jones, M.E. Pemble, T.B. Joyce and L.M. Smith, Studies into the carbon doping of GaAs, AlGaAs and AlAs grown by CBE using neopentyl iodide 209 (2000) 286
Cui, J., M. Ozeki and M. Ohashi, Dynamic behavior of group III and V organometallic sources and nanostructure fabrication by supersonic molecular beams 209 (2000) 492
Cui, Z., see Meng, G.W. 209 (2000) 801

Dabkowska, H., see Imanaka, N. 209 (2000) 217
Dabkowski, A., see Imanaka, N. 209 (2000) 217
Dann, A.W., see Robbins, D.J. 209 (2000) 290
Davydov, V.Yu., see Inushima, T. 209 (2000) 406
De Franceschi, R., see Rigo, C. 209 (2000) 471
Degen, M.M., N. Costanzino and J. Bechhoefer, On the properties of large banded spherulites in a maleic anhydride–polyacrylonitrile mixture 209 (2000) 953
Dehaese, O., see Fréchengues, S. 209 (2000) 661
Demo, P., see Kožíšek, Z. 209 (2000) 198
DenBaars, S.P., see Fini, P. 209 (2000) 581
Derby, J.J., see Yeckel, A. 209 (2000) 734
Despréaux, S., P. Witomski and T. Duffar, Die optimal shape in a crystal growth process 209 (2000) 983
Ding, Y., see Feng, S.Q. 209 (2000) 513
Dolgov, I.V., see Vostokov, N.V. 209 (2000) 302
Dong, M. and Z.-G. Ye, High-temperature solution growth and characterization of the piezo-Jferroelectric $(1-x)\times Pb(Mg_{1/3}Nb_{2/3})O_3$–$xPbTiO_3$ [PMNT] single crystals 209 (2000) 81
Drouot, V., see Fréchengues, S. 209 (2000) 661
Drozdov, Yu.N., see Vostokov, N.V. 209 (2000) 302
Du, K., see Li, Y. 209 (2000) 867
Duchenois, A.M., see Benchimol, J.L. 209 (2000) 476
Duffar, T., see Despréaux, S. 209 (2000) 983
Dupuy, M., see Baron, T. 209 (2000) 1004
Durand, O., see Khodan, A.N. 209 (2000) 828

Erxmeyer, J., see Walther, C. 209 (2000) 572

Fang, C.S., Q.T. Gu, J.Q. Wei, Q.W. Pan, W. Shi and J.Y. Wang, Growth of ZnSe single crystals 209 (2000) 542
Fang, X.M., see Xu, G. 209 (2000) 763
Feenstra, R.M., see Ramachandran, V. 209 (2000) 355
Feichtinger, P., see Fukuto, H. 209 (2000) 716
Feng, J., see Liu, J. 209 (2000) 795
Feng, S.L., see Wang, H.L. 209 (2000) 630
Feng, S.Q., D.P. Yu, H.Z. Zhang, Z.G. Bai and Y. Ding, The growth mechanism of silicon nanowires and their quantum confinement effect 209 (2000) 513
Ferrater, C., see Trtík, V. 209 (2000) 842
Ferro, G., H. Okumura and S. Yoshida, Growth mode of AlN epitaxial layers on 6H-SiC by plasma assisted molecular beam epitay 209 (2000) 415
Feth, S., see Su, C.-H. 209 (2000) 687
Figueras, A., see Caro, J. 209 (2000) 146

Filatov, D.O., see Vostokov, N.V. 209 (2000) 302

Fini, P., H. Marchand, J.P. Ibbetson, S.P. DenBaars, U.K. Mishra and J.S. Speck, Determination of tilt in the lateral epitaxial overgrowth of GaN using X-ray diffraction 209 (2000) 581

Fink-Finowicki, J., see Berkowski, M. 209 (2000) 75

Fischer, A., see Schoof, H. 209 (2000) 122

Fitzpatrick, B.J., see Pérez Bueno, J.J. 209 (2000) 701

Fleming, S., A. Rohl, M.-Y. Lee, J. Gale and G. Parkinson, Atomistic modelling of gibbsite: surface structure and morphology 209 (2000) 159

Fons, P., see Iwata, K. 209 (2000) 526

Fons, P., K. Iwata, S. Niki, A. Yamada, K. Matsubara and M. Watanabe, Uniaxial locked growth of high-quality epitaxial ZnO films on (1 1 $\bar{2}$ 0)α-Al_2O_3 209 (2000) 532

Fontcuberta, J., see Trtík, V. 209 (2000) 842

Fornuto, G., see Rigo, C. 209 (2000) 471

Fraxedas, J., see Caro, J. 209 (2000) 146

Fréchengues, S., N. Bertru, V. Drouot, C. Paranthoen, O. Dehaese, S. Loualiche, A. Le Corre and B. Lambert, Monolayer coverage effects on size and ordering of self-organized InAs islands grown on (1 1 3)B InP substrates 209 (2000) 661

Fréty, N., see Koukharenko, E. 209 (2000) 773

Freundlich, A., C. Horton, M.F. Vilela, M. Sterling, A. Ignatiev, G. Neu and M. Teisseire, Photoluminescence of GaAs grown by metallorganic molecular beam epitaxy in space ultra-vacuum 209 (2000) 435

Freundlich, A., F. Newman, M.F. Vilela, C. Monier, L. Aguilar and S. Street, Development of GaAs space solar cells by high growth rate MOMBE/CBE 209 (2000) 481

Fujioka, H., see Nakamura, M. 209 (2000) 232

Fujioka, H., see Mano, T. 209 (2000) 504

Fujioka, H., see Ono, K. 209 (2000) 556

Fujioka, H., see Uragami, T. 209 (2000) 561

Fujita, N., see Honda, T. 209 (2000) 392

Fujita, S., see Sakurai, K. 209 (2000) 522

Fujita, S., see Sakurai, K. 209 (2000) 522

Fukuto, H., P. Feichtinger, G.D. U'Ren, S. Lindo, M.S. Goorsky, T. Magee, D. Oster and J. Moreland, Misfit dislocation formation in p/p$^+$ silicon vapor-phase epitaxy 209 (2000) 716

Furukawa, Y., see Nagashima, K. 209 (2000) 167

Fushida, M., see Zhou, Y.K. 209 (2000) 547

Gäbel, K., see Li, Y. 209 (2000) 867

Gale, J., see Fleming, S. 209 (2000) 159

Gallucci, E., C. Goutaudier, G. Boulon, M.Th. Cohen-Adad and B.F. Mentzen, Non-stoichiometric $KY(WO_4)_2$: crystal growth, chemical and physical characterization 209 (2000) 895

Gambini, P., see Rigo, C. 209 (2000) 471

Garandet, J.P., S. Corre, S. Kaddeche and T. Alboussière, The influence of convection on the duration of the initial solute transient in alloy crystal growth 209 (2000) 970

Ge, H., see Xu, D. 209 (2000) 203

Georgiev, N. and T. Mozume, Effect of group-V species exchange at the interfaces of InGaAs/AlAsSb superlattice 209 (2000) 247

Georgiev, N., see Mozume, T. 209 (2000) 445

Ghiglieno, F., see Rigo, C. 209 (2000) 471

Gibis, R., H. Kizuki, P. Albrecht, P. Harde, G. Urmann, R. Kaiser and H. Künzel, MOMBE: superior epitaxial growth for InP-based monolithically integrated photonic circuits 209 (2000) 463

Gibis, R., S. Schelhase, R. Steingrüber, G. Urmann, H. Künzel, S. Thiel, O. Stier and D. Bimberg, MOMBE selective infill growth of InP/GaInAs for quantum dot formation 209 (2000) 499

Glasper, J.L., see Robbins, D.J. 209 (2000) 290

Gonda, S., see Hiroki, M. 209 (2000) 387

Gonda, S., see Zhou, Y.K. 209 (2000) 547

Gong, Y., J. Mo, H. Yu, L. Wang and G. Xia, Quantitative study of carbon doping of GaAs grown by metalorganic vapor-phase epitaxy 209 (2000) 43

Gonzalez, C., see Benchimol, J.L. 209 (2000) 476

Gonzalez-Hernández, J., see Pérez Bueno, J.J. 209 (2000) 701

Goorsky, M.S., see Fukuto, H. 209 (2000) 716

Gotoh, Y., see Kimura, R. 209 (2000) 382

Gottfriedsen, J., see Pohl, U.W. 209 (2000) 683

Goutaudier, C., see Gallucci, E. 209 (2000) 895

Grant, M.L., Effects of thermodynamic nonideality in protein crystal growth 209 (2000) 130

Greve, D.W., see Ramachandran, V. 209 (2000) 355

Gu, Q.T., see Fang, C.S. 209 (2000) 542

Guergouri, K., N. Brihi and R. Triboulet, Study of the effect of dislocations introduced by indentation on Cd(1 1 1) and Te($\bar{1}$ $\bar{1}$ $\bar{1}$) faces on the electrical and optical properties of CdTe 209 (2000) 709

Guo, X.F., see Liu, Y.C. 209 (2000) 963

Gustafsson, A., see Ohlsson, B.J. 209 (2000) 454

Haapamaa, J., see Li, W. 209 (2000) 459

Habuka, H., S. Akiyama, T. Otsuka and W.-F. Qu, Instability of diborane gas in silicon epitaxial film growth 209 (2000) 807

Håkanson, U., see Ohlsson, B.J. 209 (2000) 454

Hamai, M., I. Mogi, M. Tagami, S. Awaji, K. Watanabe and M. Motokawa, Crystal growth of ammonium chloride in magnetic levitation conditions 209 (2000) 1013

Han, H.X., see Chen, Y. 209 (2000) 994

Han, P., M. Sakuraba, Y.-C. Jeong, K. Bock, T. Matsuura and J. Murota, Observation of sharp current peaks in resonant tunneling diode with strained $Si_{0.6}Ge_{0.4}$/Si(1 0 0) grown by low-temperature low-pressure CVD 209 (2000) 315
Harde, P., see Gibis, R. 209 (2000) 463
Hasebe, Y., see Tanaka, Y. 209 (2000) 410
Hasegawa, F., see Suemasu, T. 209 (2000) 267
Hasegawa, F., see Sasaki, M. 209 (2000) 373
Hayafuji, N., see Kizuki, H. 209 (2000) 440
He, Y., see Su, G. 209 (2000) 220
Heinecke, H., see Kröner, P. 209 (2000) 424
Herres, N., see Simanowski, S. 209 (2000) 15
Heschel, I., see Schoof, H. 209 (2000) 122
Higashino, T., J. Osaka, K. Tanahashi, M. Kikuchi, Y. Kawamura, N. Inoue and Y. Homma, The measurement of work function on GaAs (0 0 1) surface during MBE growth by scanning electron microscopy 209 (2000) 431
Hiraiwa, M., see Imanaka, N. 209 (2000) 217
Hiroki, M., H. Asahi, H. Tampo, K. Asami and S. Gonda, Improved properties of polycrystalline GaN grown on silica glass substrate 209 (2000) 387
Hoerstel, W., see Walther, C. 209 (2000) 572
Homma, Y., see Higashino, T. 209 (2000) 431
Honda, T., N. Fujita, K. Maki, Y. Yamamoto and H. Kawanishi, Initial growth monitoring of GaN epitaxy on 6H-SiC by metal-organic molecular beam epitaxy 209 (2000) 392
Hong, S.K., H.J. Ko, Y. Chen and T. Yao, Defect characterization in epitaxial ZnO/epi-GaN/Al_2O_3 heterostructures: transmission electron microscopy and triple-axis X-ray diffractometry 209 (2000) 537
Hong, S.K., see Ko, H.J. 209 (2000) 816
Horton, C., see Freundlich, A. 209 (2000) 435
Hosi, K., see Shen, X.Q. 209 (2000) 396
Houlton, M., see Balmer, R.S. 209 (2000) 486
Huang, Q., see Zhang, M.H. 209 (2000) 37
Hui, Z., see Zhang, W. 209 (2000) 213

Ibbetson, J.P., see Fini, P. 209 (2000) 581
Iga, K., see Schlenker, D. 209 (2000) 27
Iga, K., see Miyamoto, T. 209 (2000) 339
Iga, K., see Kageyama, T. 209 (2000) 350
Ignatiev, A., see Freundlich, A. 209 (2000) 435
Ihm, S.H., see Jeong, M.S. 209 (2000) 789
Imai, Y., see Yodo, T. 209 (2000) 724
Imanaka, N., M. Hiraiwa, S. Tamura, G.Y. Adachi, H. Dabkowska and A. Dabkowski, Single-crystal growth of aluminum tungstate-lutetium tungstate solid solution 209 (2000) 217
Inoue, N., see Higashino, T. 209 (2000) 431
Inoue, N., see Katayama, T. 209 (2000) 450
Inushima, T., T. Ashino, K. Murano, T. Shiraishi, V.Yu. Davydov and S. Ohoya, Heteroepitaxial growth of AlN at the resonance point of nitrogen-ECR plasma 209 (2000) 406
Inushima, T., see Tanaka, Y. 209 (2000) 410
Ishizu, T., see Kitamura, M. 209 (2000) 138
Itoh, M., see Morishita, Y. 209 (2000) 599
Iwata, K., P. Fons, A. Yamada, K. Matsubara and S. Niki, Nitrogen-induced defects in ZnO : N grown on sapphire substrate by gas source MBE 209 (2000) 526
Iwata, K., see Fons, P. 209 (2000) 532

Jeong, M.S., S.H. Ihm, J.H. Seok, O.H. Cha, J.Y. Kim, E.-K. Suh and H.J. Lee, Growth temperature dependence of substitutional carbon incorporation in $Si_{1-y}C_y$ alloys and $Si_{1-y}C_y$/Si multiple quantum wells 209 (2000) 789
Jeong, Y.-C., see Han, P. 209 (2000) 315
Jia, X., A. Miyazaki and H. Kimura, Stability of $Ba(B_{0.9}Al_{0.1})_2O_4$ molten zone by floating-zone technique on the ground 209 (2000) 850
Jiang, P.Z., see Chen, X.L. 209 (2000) 208
Jie, W., see Liu, X. 209 (2000) 751
Jimbo, T., see Saravanan, S. 209 (2000) 621
Jones, A.C., see Coward, K.M. 209 (2000) 286
Joyce, T.B., see Coward, K.M. 209 (2000) 286

Kaddeche, S., see Garandet, J.P. 209 (2000) 970
Kagawa, T., see Tateno, K. 209 (2000) 605
Kageyama, T., see Miyamoto, T. 209 (2000) 339
Kageyama, T., T. Miyamoto, S. Makino, F. Koyama and K. Iga, Optical quality of GaNAs and GaInNAs and its dependence on RF cell condition in chemical beam epitaxy 209 (2000) 350
Kaiser, R., see Gibis, R. 209 (2000) 463
Kaiya, K., see Takahashi, N. 209 (2000) 822
Kajikawa, Y., see Kizuki, H. 209 (2000) 440
Kane, M.J., see Balmer, R.S. 209 (2000) 486
Kanehiro, M., see Sakurai, K. 209 (2000) 522
Kaplun, A.B. and A.B. Meshalkin, Phase equilibria in the binary systems Li_2O–B_2O_3 and Cs_2O–B_2O_3 209 (2000) 890
Kapuśniak, J., see Berkowski, M. 209 (2000) 75
Kariya, M., S. Nitta, S. Yamaguchi, T. Kashima, H. Kato, H. Amano and I. Akasaki, Structural characterization of $Al_{1-x}In_xN$ lattice-matched to GaN 209 (2000) 419
Kashima, T., see Kariya, M. 209 (2000) 419
Katayama, T., Y. Kawamura, H. Takasaki, A. Yamamoto and N. Inoue, Structural dependence of intersubband absorption of $In_{0.53}Ga_{0.47}As/GaAs_{0.5}Sb_{0.5}$ type II quantum well structures lattice-matched to InP 209 (2000) 450
Kato, H., see Kariya, M. 209 (2000) 419

Kawamura, Y., see Higashino, T. 209 (2000) 431
Kawamura, Y., see Katayama, T. 209 (2000) 450
Kawanishi, H., see Honda, T. 209 (2000) 392
Khodan, A.N., J.-P. Contour, D. Michel, O. Durand, R. Lyonnet and M. Mihet, ZrO_2–CeO_2 and CeO_2–La_2O_3 film growth on oxide substrates and their applications in oxide heterostructures 209 (2000) 828
Kiefer, R., see Simanowski, S. 209 (2000) 15
Kikuchi, H., see Otsuka, N. 209 (2000) 252
Kikuchi, M., see Higashino, T. 209 (2000) 431
Kim, J.-S. and T.-y. Lee, Numerical study of the melt–thermal effect on a silicon crystal in Czochralski growth system 209 (2000) 55
Kim, J.Y., see Jeong, M.S. 209 (2000) 789
Kim, Y.T., see Shin, D.S. 209 (2000) 1009
Kimura, H., see Jia, X. 209 (2000) 850
Kimura, M., see Tanaka, A. 209 (2000) 625
Kimura, R., Y. Gotoh, T. Matsuzawa and K. Takahashi, High-purity cubic GaN grown on a AlGaAs buffer layer by molecular beam epitaxy 209 (2000) 382
Kimura, T., see Saito, T. 209 (2000) 666
Kishimoto, D., T. Noda, Y. Nakamura, H. Sakaki and T. Nishinaga, Effect of substrate rotation on inter-surface diffusion in MBE for mesa-structure fabrication 209 (2000) 591
Kitamura, M. and T. Ishizu, Growth kinetics and morphological change of polymorphs of L-glutamic acid 209 (2000) 138
Kitatani, T., K. Nakahara, M. Kondow, K. Uomi and T. Tanaka, Mechanism analysis of improved GaInNAs optical properties through thermal annealing 209 (2000) 345
Kitou, Y., see Bahng, W. 209 (2000) 767
Kizuki, H., Y. Kouji, N. Hayafuji and Y. Kajikawa, Quasi-persistent photoconductivity of double-heterojunction pseudomorphic high-electron-mobility transistor epitaxial wafers 209 (2000) 440
Kizuki, H., see Gibis, R. 209 (2000) 463
Ko, H.J., see Hong, S.K. 209 (2000) 537
Ko, H.J., Y. Chen, S.K. Hong and T. Yao, MBE growth of high-quality ZnO films on epi-GaN 209 (2000) 816
Koguchi, N., see Tsukamoto, S. 209 (2000) 258
Koguchi, N., see Mano, T. 209 (2000) 504
Komatsu, H., see Suzuki, Y. 209 (2000) 1018
Konagai, M., see Watahiki, T. 209 (2000) 335
Konagai, M., see Matsuzaki, Y. 209 (2000) 509
Konczykowska, A., see Benchimol, J.L. 209 (2000) 476
Kondow, M., B. Shi and C.W. Tu, In situ etching using a novel precursor of tertiarybutylchloride (TBCl) 209 (2000) 263
Kondow, M., see Kitatani, T. 209 (2000) 345
Kouji, Y., see Kizuki, H. 209 (2000) 440
Koukharenko, E., N. Fréty, G. Nabias, V.G. Shepelevich and J.C. Tedenac, Microstructural study of Bi_2Te_3 material obtained by ultrarapid quenching process route 209 (2000) 773
Kowalska, E., see Berkowski, M. 209 (2000) 75
Koyama, F., see Schlenker, D. 209 (2000) 27
Koyama, F., see Miyamoto, T. 209 (2000) 339
Koyama, F., see Kageyama, T. 209 (2000) 350
Kožíšek, Z., P. Demo and K. Sato, Nucleation on active sites: evolution of size distribution 209 (2000) 198
Krasil'nik, Z.F., see Vostokov, N.V. 209 (2000) 302
Krishnamurthy, D., see Kumaragurubaran, S. 209 (2000) 855
Kröner, P., H. Baumeister, J. Rieger, E. Veuhoff, O. Marti and H. Heinecke, Comparison of structural and optical properties in strained GaInAsP MQW structures grown by MOVPE and MOMBE 209 (2000) 424
Kumaragurubaran, S., D. Krishnamurthy, C. Subramanian and P. Ramasamy, Synthesis, growth and characterization of bismuth tellurite crystals 209 (2000) 855
Künzel, H., see Gibis, R. 209 (2000) 463
Künzel, H., see Gibis, R. 209 (2000) 499
Kurabayashi, T., see Nishizawa, J. 209 (2000) 327
Kurabayashi, T., see Ohtsuka, K. 209 (2000) 331

Lambert, B., see Fréchengues, S. 209 (2000) 661
Lan, Y.C., see Chen, X.L. 209 (2000) 208
Lange, U., see Wagner, G. 209 (2000) 68
Larson Jr., D.J., see Zheng, L.L. 209 (2000) 110
Le Corre, A., see Fréchengues, S. 209 (2000) 661
Lee, C.D., see Ramachandran, V. 209 (2000) 355
Lee, H. and A.J. Pearlstein, Simulation of vertical Bridgman growth of benzene, a material with anisotropic solid-phase thermal conductivity 209 (2000) 934
Lee, H.J., see Jeong, M.S. 209 (2000) 789
Lee, J.-S., S. Sugou and Y. Masumoto, In situ observation of ellipsometry monolayer oscillations of metalorganic vapor-phase epitaxy-grown III–V compound materials 209 (2000) 614
Lee, M.-Y., see Fleming, S. 209 (2000) 159
Lee, T.-y., see Kim, J.-S. 209 (2000) 55
Lehoczky, S.L., see Su, C.-H. 209 (2000) 687
Lenzner, J., see Wagner, G. 209 (2000) 68
Leys, M.R., Fundamental growth kinetics in MOMBE/CBE, MBE and MOVPE 209 (2000) 225
Li, A.Z., see Yang, Q.K. 209 (2000) 8
Li, B., see Liu, J. 209 (2000) 795
Li, G.H., see Chen, Y. 209 (2000) 994
Li, J.Q., see Chen, X.L. 209 (2000) 208
Li, L.H., see Pan, Z. 209 (2000) 648
Li, S.F., see Xu, D. 209 (2000) 203
Li, W., J. Likonen, J. Haapamaa and M. Pessa, Be redistribution in GaInP and growth of GaInP/AlInP tunnel diode by gas source molecular beam epitaxy 209 (2000) 459

Li, Y., K. Gäbel, Y. Yuan, S. Yin and K. Du, Luminescence and color centers from CNGG : Cr^{3+} crystal grown by Czochralski method 209 (2000) 867
Liang, J.K., see Chen, X.L. 209 (2000) 208
Likonen, J., see Li, W. 209 (2000) 459
Lin, Y.W., see Pan, Z. 209 (2000) 648
Lindo, S., see Fukuto, H. 209 (2000) 716
Litwin, A., see Ohlsson, B.J. 209 (2000) 454
Liu, J., J. Feng, B. Li and J. Zhu, Study on the solid state reaction between crystalline Co film and Si(1 1 1) substrate 209 (2000) 795
Liu, X., W. Jie and Y. Zhou, Numerical analysis on $Hg_{1-x}Cd_xTe$ growth by ACRT-VBM 209 (2000) 751
Liu, Y.C., X.F. Guo, J.H. Yang, G.C. Yang and Y.H. Zhou, Decagonal quasicrystal growth in the undercooled $Al_{72}Ni_{12}Co_{16}$ alloy 209 (2000) 963
Lobanov, D.N., see Vostokov, N.V. 209 (2000) 302
Lorenz, M., see Wagner, G. 209 (2000) 68
Loualiche, S., see Fréchengues, S. 209 (2000) 661
Lovergine, N., see Prete, P. 209 (2000) 279
Lu, K.Q., see Chen, X.L. 209 (2000) 208
Lui, P.Y., see Yoon, S.F. 209 (2000) 653
Lupo, S., see Rigo, C. 209 (2000) 471
Lyonnet, R., see Khodan, A.N. 209 (2000) 828

Machida, H., see Ueta, A. 209 (2000) 518
Maclean, J.O., see Balmer, R.S. 209 (2000) 486
Madsen, L.D., R. Charavel, J. Birch and E.B. Svedberg, Assessment of MgO(1 0 0) and (1 1 1) substrate quality by X-ray diffraction 209 (2000) 91
Magee, T., see Fukuto, H. 209 (2000) 716
Maki, K., see Honda, T. 209 (2000) 392
Makino, S., see Miyamoto, T. 209 (2000) 339
Makino, S., see Kageyama, T. 209 (2000) 350
Malý, P., see Trojánek, F. 209 (2000) 695
Mancini, A.M., see Prete, P. 209 (2000) 279
Mano, T., K. Watanabe, S. Tsukamoto, H. Fujioka, M. Oshima and N. Koguchi, Fabrication of InGaAs quantum dots on GaAs(0 0 1) by droplet epitaxy 209 (2000) 504
Marchand, H., see Fini, P. 209 (2000) 581
Marrs, A.D., see Robbins, D.J. 209 (2000) 290
Marti, O., see Kröner, P. 209 (2000) 424
Martin, F., see Baron, T. 209 (2000) 1004
Martin, T., see Balmer, R.S. 209 (2000) 486
Martinez, B., see Trtík, V. 209 (2000) 842
Maruyama, T., see Morishima, S. 209 (2000) 378
Masselink, W.T., see Walther, C. 209 (2000) 572
Masumoto, Y., see Lee, J.-S. 209 (2000) 614
Matkovskii, A.O., see Savytskii, D.I. 209 (2000) 874
Matsubara, K., see Iwata, K. 209 (2000) 526
Matsubara, K., see Fons, P. 209 (2000) 532
Matsuura, T., see Han, P. 209 (2000) 315
Matsuzaki, Y., A. Yamada and M. Konagai, Improvement of nanoscale patterning of heavily doped p-type GaAs by atomic force microscope (AFM)-based surface oxidation process 209 (2000) 509
Matsuzawa, T., see Kimura, R. 209 (2000) 382
Mazur, K., see Berkowski, M. 209 (2000) 75
Mba, J., see Benchimol, J.L. 209 (2000) 476
McCann, P.J., see Xu, G. 209 (2000) 763
Meng, G.W., Z. Cui, L.D. Zhang and F. Phillipp, Growth and characterization of nanostructured β-SiC via carbothermal reduction of SiO_2 xerogels containing carbon nanoparticles 209 (2000) 801
Mentzen, B.F., see Gallucci, E. 209 (2000) 895
Mermelstein, C., see Simanowski, S. 209 (2000) 15
Meshalkin, A.B., see Kaplun, A.B. 209 (2000) 890
Michel, D., see Khodan, A.N. 209 (2000) 828
Mihet, M., see Khodan, A.N. 209 (2000) 828
Mikeš, D., see Trojánek, F. 209 (2000) 695
Mishima, T., see Ouchi, K. 209 (2000) 242
Mishra, U.K., see Fini, P. 209 (2000) 581
Mitsui, T., see Nakamura, M. 209 (2000) 232
Miyamoto, T., see Schlenker, D. 209 (2000) 27
Miyamoto, T., T. Kageyama, S. Makino, D. Schlenker, F. Koyama and K. Iga, CBE and MOCVD growth of GaInNAs 209 (2000) 339
Miyamoto, T., see Kageyama, T. 209 (2000) 350
Miyashita, S., see Nakajima, K. 209 (2000) 637
Miyashita, S., see Suzuki, Y. 209 (2000) 1018
Miyazaki, A., see Jia, X. 209 (2000) 850
Mizuguchi, M., H. Akinaga, K. Ono and M. Oshima, Formation and structural investigation of MnSb dots on S-passivated GaAs(0 0 1) substrates 209 (2000) 552
Mizuguchi, M., see Ono, K. 209 (2000) 556
Mizuguchi, M., see Uragami, T. 209 (2000) 561
Mo, J., see Gong, Y. 209 (2000) 43
Mogi, I., see Hamai, M. 209 (2000) 1013
Moldavskaya, L.D., see Vostokov, N.V. 209 (2000) 302
Monier, C., see Freundlich, A. 209 (2000) 481
Moraes, N.M.P., see Ranieri, I.M. 209 (2000) 906
Morato, S.P., see Ranieri, I.M. 209 (2000) 906
Moreland, J., see Fukuto, H. 209 (2000) 716
Morishima, S., T. Maruyama and K. Akimoto, Epitaxial growth of Eu-doped GaN by gas source molecular beam epitaxy 209 (2000) 378
Morishita, Y., Y. Sugawara, M. Itoh and K. Sato, Crystal structures and magnetic properties of MnAs grown by molecular-beam epitaxy on the (1 1 1)A facets of V-grooved GaAs substrates 209 (2000) 599
Motokawa, M., see Hamai, M. 209 (2000) 1013
Mozume, T., see Georgiev, N. 209 (2000) 247

Mozume, T., N. Georgiev, T. Nishimura, H. Yoshida, S. Nishikawa and A. Neogi, Photoluminescence characterization of type II InGaAs/AlAsSb heterostructures lattice matched to InP grown by molecular beam epitaxy 209 (2000) 445
Mur, P., see Baron, T. 209 (2000) 1004
Murai, A., see Nishizawa, J. 209 (2000) 327
Murai, A., see Ohtsuka, K. 209 (2000) 331
Murano, K., see Inushima, T. 209 (2000) 406
Murota, J., see Han, P. 209 (2000) 315

Nabias, G., see Koukharenko, E. 209 (2000) 773
Nagashima, K. and Y. Furukawa, Time development of a solute diffusion field and morphological instability on a planar interface in the directional growth of ice crystals 209 (2000) 167
Nakada, T., see Suzuki, Y. 209 (2000) 1018
Nakahara, K., see Kitatani, T. 209 (2000) 345
Nakahara, K., see Sakurai, K. 209 (2000) 522
Nakajima, K., T. Ujihara, S. Miyashita and G. Sazaki, Thickness dependence of stable structure of the Stranski–Krastanov mode in the GaPSb/GaP system 209 (2000) 637
Nakamura, M., H. Fujioka, K. Ono, M. Takeuchi, T. Mitsui and M. Oshima, Molecular dynamics simulation of III–V compound semiconductor growth with MBE 209 (2000) 232
Nakamura, T., see Takahashi, N. 209 (2000) 822
Nakamura, Y., see Kishimoto, D. 209 (2000) 591
Nakayama, T., see Sasaki, M. 209 (2000) 373
Nanishi, Y., see Araki, T. 209 (2000) 368
Naritsuka, S., see Yan, Z. 209 (2000) 1
Nasir Khan, M., see Bahng, W. 209 (2000) 767
Němec, P., see Trojánek, F. 209 (2000) 695
Neogi, A., see Mozume, T. 209 (2000) 445
Neu, G., see Freundlich, A. 209 (2000) 435
Newey, J.P., see Balmer, R.S. 209 (2000) 486
Newman, F., see Freundlich, A. 209 (2000) 481
Niehus, H., see Walther, C. 209 (2000) 572
Niki, S., see Iwata, K. 209 (2000) 526
Niki, S., see Fons, P. 209 (2000) 532
Ning, D., see Wang, H.L. 209 (2000) 630
Nishikawa, S., see Mozume, T. 209 (2000) 445
Nishimura, T., see Mozume, T. 209 (2000) 445
Nishinaga, T., see Yan, Z. 209 (2000) 1
Nishinaga, T., see Kishimoto, D. 209 (2000) 591
Nishino, S., see Bahng, W. 209 (2000) 767
Nishioka, T., see Yamada, T. 209 (2000) 50
Nishioka, Y., see Araki, T. 209 (2000) 368
Nishizawa, J., A. Murai, T. Ohizumi, T. Kurabayashi, K. Ohtsuka and T. Yoshida, Observation and control of surface reaction during Si molecular layer growth 209 (2000) 327
Nishizawa, J., see Ohtsuka, K. 209 (2000) 331
Nishizawa, J.-i., see Shimizu, A. 209 (2000) 21
Nishizawa, J.-i., see Otsuka, N. 209 (2000) 252
Nishizawa, J.-i., see Saito, T. 209 (2000) 666
Nishizawa, J.-i., see Tamura, H. 209 (2000) 675
Nishizawa, S., see Bahng, W. 209 (2000) 767
Nitta, S., see Kariya, M. 209 (2000) 419
Nobata, M., see Araki, T. 209 (2000) 368
Noda, T., see Kishimoto, D. 209 (2000) 591
Northrup, J.E., see Ramachandran, V. 209 (2000) 355
Novikov, A.V., see Vostokov, N.V. 209 (2000) 302

O'Mahony, S.J., see Balmer, R.S. 209 (2000) 486
Ohashi, M., see Cui, J. 209 (2000) 492
Ohizumi, T., see Nishizawa, J. 209 (2000) 327
Ohlsson, B.J., S.-B. Carlsson, A. Gustafsson, U. Håkanson, A. Litwin and L. Samuelson, Electrical and optical characterization of (1 1 1) oriented GaP/Si diodes grown by CBE 209 (2000) 454
Ohoya, S., see Inushima, T. 209 (2000) 406
Ohoya, S., see Tanaka, Y. 209 (2000) 410
Ohtsuka, K., see Nishizawa, J. 209 (2000) 327
Ohtsuka, K., T. Yoshida, T. Oizumi, A. Murai, T. Kurabayashi and J. Nishizawa, Low-temperature deposition of Si and SiO_2 thin-film layers in an ultrahigh vacuum system 209 (2000) 331
Oizumi, T., see Ohtsuka, K. 209 (2000) 331
Okamoto, S., see Takahashi, N. 209 (2000) 822
Okumura, H., see Sonoda, S. 209 (2000) 364
Okumura, H., see Cho, S.H. 209 (2000) 401
Okumura, H., see Ferro, G. 209 (2000) 415
Omichi, K., see Takahashi, N. 209 (2000) 822
Ono, K., see Nakamura, M. 209 (2000) 232
Ono, K., see Mizuguchi, M. 209 (2000) 552
Ono, K., T. Uragami, M. Mizuguchi, H. Fujioka, M. Oshima, M. Tanaka and H. Akinaga, Molecular beam epitaxy of MnSb/MnAs multilayers on GaAs 209 (2000) 556
Ono, K., see Uragami, T. 209 (2000) 561
Osaka, J., see Higashino, T. 209 (2000) 431
Oshima, M., see Nakamura, M. 209 (2000) 232
Oshima, M., see Mano, T. 209 (2000) 504
Oshima, M., see Mizuguchi, M. 209 (2000) 552
Oshima, M., see Ono, K. 209 (2000) 556
Oshima, M., see Uragami, T. 209 (2000) 561
Oster, D., see Fukuto, H. 209 (2000) 716
Otsuka, N., J.-i. Nishizawa, H. Kikuchi and Y. Oyama, Expanded self-limiting growth condition of InP using alternate trimethylindium and tertiarybutylphosphine supply in ultrahigh vacuum 209 (2000) 252
Otsuka, T., see Habuka, H. 209 (2000) 807
Ouchi, K. and T. Mishima, Preferential group-V replacement at InGaP/GaAs interfaces grown by gas-source MBE 209 (2000) 242
Oyama, Y., see Shimizu, A. 209 (2000) 21
Oyama, Y., see Otsuka, N. 209 (2000) 252
Oyama, Y., see Saito, T. 209 (2000) 666

Oyanagi, N., see Bahng, W. 209 (2000) 767
Ozeki, M., see Cui, J. 209 (2000) 492

Pan, Q.W., see Fang, C.S. 209 (2000) 542
Pan, Z., L.H. Li, Y.W. Lin, Z.Q. Zhou, W. Zhang, Y.T. Wang and R.H. Wu, Growth and characterization of strained superlattices δ-GaN_xAs_{1-x}/GaAs by molecular beam epitaxy 209 (2000) 648
Paranthoen, C., see Fréchengues, S. 209 (2000) 661
Parkinson, G., see Fleming, S. 209 (2000) 159
Pearlstein, A.J., see Lee, H. 209 (2000) 934
Pemble, M.E., see Coward, K.M. 209 (2000) 286
Perchuć, L., see Berkowski, M. 209 (2000) 75
Pérez Bueno, J.J., M.E. Rodríguez, O. Zelaya-Angel, R. Baquero, J. Gonzalez-Hernández, L. Baños and B.J. Fitzpatrick, Growth and characterization of $Cd_{1-x}Zn_xTe$ crystals with high Zn concentrations 209 (2000) 701
Pessa, M., see Li, W. 209 (2000) 459
Péter, Á., K. Polgár and E. Beregi, Revealing growth defects in non-linear borate single crystals by chemical etching 209 (2000) 102
Phillipp, F., see Meng, G.W. 209 (2000) 801
Phillips, J.D., see Biefeld, R.M. 209 (2000) 567
Pickering, C., see Robbins, D.J. 209 (2000) 290
Piekarczyk, W., see Berkowski, M. 209 (2000) 75
Pinkney, H., D.A. Thompson, B.J. Robinson, L. Qian, S.D. Benjamin and P.W.E. Smith, Growth of novel InP-based materials by He-plasma-assisted epitaxy 209 (2000) 237
Plomp, M., J.G. Buijnsters, G. Bögels, W.J.P. van Enckevort and D. Bollen, Atomic force microscopy studies on the surface morphology of {1 1 1} tabular AgBr crystals 209 (2000) 911
Pohl, U.W., J. Gottfriedsen and H. Schumann, Nitrogen doping of MOVPE-grown ZnSe by hydrazine derivatives 209 (2000) 683
Polgár, K., see Péter, Á. 209 (2000) 102
Popov, D.I., L.L. Regel and W.R. Wilcox, Application of the theorem of minimum entropy production to growth of lamellar eutectics with an oscillating freezing rate 209 (2000) 181
Postnikov, V.V., see Vostokov, N.V. 209 (2000) 302
Prestidge, C.A. and I. Ametov, Cation effects during aggregation and agglomeration of gibbsite particles under synthetic Bayer crystallisation conditions 209 (2000) 924
Prete, P., N. Lovergine, C. Zanotti-Fregonara, A.M. Mancini, L.M. Smith and S.A. Rushworth, Dimethyldiselenide and diethyldisulphide as novel Se and S precursors for the low-temperature MOVPE growth of ZnSe, ZnS and ZnSSe 209 (2000) 279
Price, R.W., see Tok, E.S. 209 (2000) 297
Price, R.W., E.S. Tok and J. Zhang, Probing the silane, disilane and germane adsorption kinetics on the silicon (0 0 1) surface 209 (2000) 306
Prior, Y., see Bühler, J. 209 (2000) 779

Qian, L., see Pinkney, H. 209 (2000) 237
Qian, Y., see Zhang, W. 209 (2000) 213
Qu, W.-F., see Habuka, H. 209 (2000) 807

Ramachandran, V., C.D. Lee, R.M. Feenstra, A.R. Smith, J.E. Northrup and D.W. Greve, Structure of clean and arsenic-covered GaN(0 0 0 1) surfaces 209 (2000) 355
Ramasamy, P., see Kumaragurubaran, S. 209 (2000) 855
Ramvall, P., see Shen, X.Q. 209 (2000) 396
Ranieri, I.M., S.P. Morato, L.C. Courrol, H.M. Shihomatsu, A.H.A. Bressiani and N.M.P. Moraes, Growth of $LiY_{(1-x-y)}Lu_xNd_yF_4$ crystals for optical applications 209 (2000) 906
Rau, G., see Schoof, H. 209 (2000) 122
Re, D., see Rigo, C. 209 (2000) 471
Regel, L.L., see Wang, Y. 209 (2000) 175
Regel, L.L., see Popov, D.I. 209 (2000) 181
Riblet, P., see Shen, X.Q. 209 (2000) 396
Rieger, J., see Kröner, P. 209 (2000) 424
Riet, M., see Benchimol, J.L. 209 (2000) 476
Rigo, C., C. Coriasso, D. Campi, A. Stano, C. Cacciatore, D. Re, G. Fornuto, D. Soldani, R. De Franceschi, F. Ghiglieno, M. Vallone, P. Valenti, L. Zucchelli, S. Lupo and P. Gambini, Interferometric wavelength converter operating at 10 Gb/s based on a monolithic-integrated photonic circuit 209 (2000) 471
Robbins, D.J., C. Pickering, J. Russell, R.T. Carline, A.W. Dann, A.D. Marrs and J.L. Glasper, In situ optical monitoring for SiGe epitaxy 209 (2000) 290
Robinson, B.J., see Pinkney, H. 209 (2000) 237
Rodríguez, M.E., see Pérez Bueno, J.J. 209 (2000) 701
Rohl, A., see Fleming, S. 209 (2000) 159
Rohovec, J., see Trojánek, F. 209 (2000) 695
Rushworth, S.A., see Prete, P. 209 (2000) 279
Russell, J., see Robbins, D.J. 209 (2000) 290

Saito, T., Y. Oyama, K. Suto, J.-i. Nishizawa and T. Kimura, Excess ion density at the GaP/GaP liquid-phase epitaxial regrowth interface 209 (2000) 666
Sakai, M., see Suemasu, T. 209 (2000) 267
Sakaki, H., see Kishimoto, D. 209 (2000) 591
Sakuraba, M., see Han, P. 209 (2000) 315
Sakurai, K., M. Kanehiro, K. Nakahara, T. Tanabe, S. Fujita and S. Fujita, Effects of oxygen plasma condition on MBE growth of ZnO 209 (2000) 522
Samuelson, L., see Ohlsson, B.J. 209 (2000) 454

Sánchez, F., see Trtík, V. 209 (2000) 842
Sandhu, A., see Tanaka, Y. 209 (2000) 410
Saravanan, S., M. Adachi, N. Satoh, T. Soga, T. Jimbo and M. Umeno, Impurity reduction and crystalline quality improvement due to isovalent doping (In) in GaAs epilayers on Si substrate by chemical beam epitaxy 209 (2000) 621
Sasaki, M., S. Yonemura, T. Nakayama, N. Shimoyama, T. Suemasu and F. Hasegawa, CBE growth of GaN on GaAs(0 0 1) and (1 1 1)B substrates using monomethylhydrazine 209 (2000) 373
Sass, J., see Berkowski, M. 209 (2000) 75
Sato, K., see Kožíšek, Z. 209 (2000) 198
Sato, K., see Morishita, Y. 209 (2000) 599
Satoh, N., see Saravanan, S. 209 (2000) 621
Savytskij, D.I., see Berkowski, M. 209 (2000) 75
Savytskii, D.I., L.O. Vasylechko, A.O. Matkovskii, I.M. Solskii, A. Suchocki, D.Yu. Sugak and F. Wallrafen, Growth and properties of $YAlO_3$: Nd single crystals 209 (2000) 874
Sawada, T., see Suzuki, Y. 209 (2000) 1018
Sazaki, G., see Nakajima, K. 209 (2000) 637
Sazaki, G., see Suzuki, Y. 209 (2000) 1018
Schelhase, S., see Gibis, R. 209 (2000) 499
Schlenker, D., T. Miyamoto, Z. Chen, F. Koyama and K. Iga, Growth of highly strained GaInAs/GaAs quantum wells for 1.2 μm wavelength lasers 209 (2000) 27
Schlenker, D., see Miyamoto, T. 209 (2000) 339
Schmitz, J., see Simanowski, S. 209 (2000) 15
Schoof, H., L. Bruns, A. Fischer, I. Heschel and G. Rau, Dendritic ice morphology in unidirectionally solidified collagen suspensions 209 (2000) 122
Schumann, H., see Pohl, U.W. 209 (2000) 683
Seok, J.H., see Jeong, M.S. 209 (2000) 789
Sermage, B., see Benchimol, J.L. 209 (2000) 476
Shen, X.Q., P. Ramvall, P. Riblet, Y. Aoyagi, K. Hosi, S. Tanaka and I. Suemune, Investigations of optical and electrical properties of In-doped GaN films grown by gas-source molecular beam epitaxy 209 (2000) 396
Shepelevich, V.G., see Koukharenko, E. 209 (2000) 773
Shi, B., see Kondow, M. 209 (2000) 263
Shi, W., see Fang, C.S. 209 (2000) 542
Shi, Z., see Su, G. 209 (2000) 220
Shi, Z., see Xu, G. 209 (2000) 763
Shihomatsu, H.M., see Ranieri, I.M. 209 (2000) 906
Shimizu, A., J.-i. Nishizawa, Y. Oyama and K. Suto, Dislocation densities in InP single crystals grown under controlled phosphorus vapor pressure by the horizontal Bridgman method 209 (2000) 21
Shimizu, S., see Sonoda, S. 209 (2000) 364
Shimoyama, N., see Sasaki, M. 209 (2000) 373
Shimoyama, N., see Ueta, A. 209 (2000) 518
Shin, D.S., H.S. Choi, Y.T. Kim and I.-H. Choi, $SrBi_2Ta_2O_9$ thin films grown by MOCVD using a novel double metal alkoxide precursor 209 (2000) 1009
Shintani, J., see Tanaka, A. 209 (2000) 625
Shiraishi, T., see Inushima, T. 209 (2000) 406
Shirasawa, H., see Yodo, T. 209 (2000) 724
Simanowski, S., N. Herres, C. Mermelstein, R. Kiefer, J. Schmitz, M. Walther, J. Wagner and G. Weimann, Strain adjustment in (GaIn)(AsSb)/(AlGa)(AsSb) QWs for 2.3–2.7 μm laser structures 209 (2000) 15
Smith, A.R., see Ramachandran, V. 209 (2000) 355
Smith, L.M., see Prete, P. 209 (2000) 279
Smith, L.M., see Coward, K.M. 209 (2000) 286
Smith, P.W.E., see Pinkney, H. 209 (2000) 237
Soga, T., see Saravanan, S. 209 (2000) 621
Soldani, D., see Rigo, C. 209 (2000) 471
Solskii, I.M., see Savytskii, D.I. 209 (2000) 874
Sonoda, S., S. Shimizu, K. Balakrishnan and H. Okumura, Plasma-assisted molecular beam epitaxy of GaN : In film on sapphire(0 0 0 1) having the single polarity of (0 0 0 1) 209 (2000) 364
Speck, J.S., see Fini, P. 209 (2000) 581
Stano, A., see Rigo, C. 209 (2000) 471
Steingrüber, R., see Gibis, R. 209 (2000) 499
Sterling, M., see Freundlich, A. 209 (2000) 435
Stier, O., see Gibis, R. 209 (2000) 499
Stolz, W., Alternative N-, P- and As-precursors for III/V-epitaxy 209 (2000) 272
Street, S., see Freundlich, A. 209 (2000) 481
Su, C.-H., S. Feth and S.L. Lehoczky, In situ partial pressure measurements and visual observation during crystal growth of ZnSe by seeded physical vapor transport 209 (2000) 687
Su, G., Y. He, H. Yao, Z. Shi and Q. Wu, A new pyroelectric crystal L-lysine-doped TGS (LLTGS) 209 (2000) 220
Subramanian, C., see Kumaragurubaran, S. 209 (2000) 855
Suchocki, A., see Savytskii, D.I. 209 (2000) 874
Suemasu, T., M. Sakai and F. Hasegawa, Optimum thermal-cleaning condition of GaAs surface with a superior arsenic source: trisdimethylamino-arsine 209 (2000) 267
Suemasu, T., see Sasaki, M. 209 (2000) 373
Suemune, I., see Shen, X.Q. 209 (2000) 396
Suemune, I., see Ueta, A. 209 (2000) 518
Sugak, D.Yu., see Savytskii, D.I. 209 (2000) 874
Sugawara, Y., see Morishita, Y. 209 (2000) 599
Sugou, S., see Lee, J.-S. 209 (2000) 614
Suh, E.-K., see Jeong, M.S. 209 (2000) 789
Sukegawa, T., see Tanaka, A. 209 (2000) 625
Sun, J.M., see Zhang, M.H. 209 (2000) 37
Suto, K., see Shimizu, A. 209 (2000) 21
Suto, K., see Saito, T. 209 (2000) 666

Suto, K., see Tamura, H. 209 (2000) 675
Suzuki, Y., T. Sawada, S. Miyashita, H. Komatsu, G. Sazaki and T. Nakada, An interferometric study of the solubility of lysozyme crystals under high pressure 209 (2000) 1018
Svedberg, E.B., see Madsen, L.D. 209 (2000) 91

Tachikawa, M., see Yamada, T. 209 (2000) 50
Tagami, M., see Hamai, M. 209 (2000) 1013
Takahashi, K., see Kimura, R. 209 (2000) 382
Takahashi, N., K. Kaiya, K. Omichi, T. Nakamura, S. Okamoto and H. Yamamoto, Atmospheric pressure vapor-phase growth of ZnO using a chloride source 209 (2000) 822
Takasaki, H., see Katayama, T. 209 (2000) 450
Takenaka, K., see Zhou, Y.K. 209 (2000) 547
Takeuchi, M., see Nakamura, M. 209 (2000) 232
Tampo, H., see Hiroki, M. 209 (2000) 387
Tamura, H., K. Suto and J.-i. Nishizawa, Se and Zn vapor pressure control in ZnSe single crystal growth by the sublimation method 209 (2000) 675
Tamura, S., see Imanaka, N. 209 (2000) 217
Tan, Q., Laser damage from harmful impurities in meta-barium borate crystal 209 (2000) 861
Tanabe, T., see Sakurai, K. 209 (2000) 522
Tanahashi, K., see Higashino, T. 209 (2000) 431
Tanaka, A., J. Shintani, M. Kimura and T. Sukegawa, Multi-step pulling of GaInSb bulk crystal from ternary solution 209 (2000) 625
Tanaka, M., see Ono, K. 209 (2000) 556
Tanaka, M., see Uragami, T. 209 (2000) 561
Tanaka, S., see Shen, X.Q. 209 (2000) 396
Tanaka, T., see Kitatani, T. 209 (2000) 345
Tanaka, Y., Y. Hasebe, T. Inushima, A. Sandhu and S. Ohoya, Comparison of AlN thin films grown on sapphire and cubic-SiC substrates by LP-MOCVD 209 (2000) 410
Tateno, K., H. Uenohara, T. Kagawa and C. Amano, Characteristics of the GaInP burying layers grown by metalorganic chemical vapor deposition on mesa-patterned GaAs substrates 209 (2000) 605
Taylor, A.G., see Tok, E.S. 209 (2000) 297
Tedenac, J.C., see Koukharenko, E. 209 (2000) 773
Teisseire, M., see Freundlich, A. 209 (2000) 435
Thiel, S., see Gibis, R. 209 (2000) 499
Thompson, D.A., see Pinkney, H. 209 (2000) 237
Thuret, J., see Benchimol, J.L. 209 (2000) 476
Tok, E.S., N.J. Woods, R.W. Price, A.G. Taylor and J. Zhang, Optical second harmonic generation studies of epitaxial growth of Si and SiGe 209 (2000) 297
Tok, E.S., see Price, R.W. 209 (2000) 306
Tok, E.S., N.J. Woods and J. Zhang, RHEED and SIMS studies of germanium segregation during growth of SiGe/Si heterostructures; a two-site exchange model with growth rate dependence 209 (2000) 321
Toyama, M., see Yodo, T. 209 (2000) 724
Triboulet, R., see Guergouri, K. 209 (2000) 709
Trojánek, F., R. Cingolani, D. Cannoletta, D. Mikeš, P. Němec, E. Uhlířová, J. Rohovec and P. Malý, Tailoring of nanocrystal sizes in CdSe films prepared by chemical deposition 209 (2000) 695
Trtík, V., C. Ferrater, F. Sánchez, M. Varela, J. Fontcuberta, M. Bibes and B. Martínez, X-ray diffraction study of lattice engineered manganite magnetoresistive films 209 (2000) 842
Tsukamoto, S. and N. Koguchi, Magic numbers in Ga clusters on GaAs (0 0 1) surface 209 (2000) 258
Tsukamoto, S., see Mano, T. 209 (2000) 504
Tu, C.W., see Kondow, M. 209 (2000) 263

U'Ren, G.D., see Fukuto, H. 209 (2000) 716
Uenohara, H., see Tateno, K. 209 (2000) 605
Ueta, A., A. Avramescu, I. Suemune, H. Machida and N. Shimoyama, Fabrication of selectively grown II–VI widegap semiconductor photonic dots on (0 0 1)GaAs with MOMBE 209 (2000) 518
Uhlířová, E., see Trojánek, F. 209 (2000) 695
Ujihara, T., see Nakajima, K. 209 (2000) 637
Umeno, M., see Saravanan, S. 209 (2000) 621
Uomi, K., see Kitatani, T. 209 (2000) 345
Uragami, T., see Ono, K. 209 (2000) 556
Uragami, T., K. Ono, M. Mizuguchi, H. Fujioka, M. Tanaka and M. Oshima, The effect of S- and Se-passivation on MBE growth of MnAs thin films on GaAs(1 0 0) substrates 209 (2000) 561
Urmann, G., see Gibis, R. 209 (2000) 463
Urmann, G., see Gibis, R. 209 (2000) 499

Valenti, P., see Rigo, C. 209 (2000) 471
Vallone, M., see Rigo, C. 209 (2000) 471
Van Enckevort, W.J.P., see Plomp, M. 209 (2000) 911
Varela, M., see Trtík, V. 209 (2000) 842
Vasco, E., L. Vázquez, M. Aguiló and C. Zaldo, Epitaxial growth of Y-stabilised zirconia films on (1 0 0)InP substrates by pulsed laser deposition 209 (2000) 883
Vasylechko, L.O., see Berkowski, M. 209 (2000) 75
Vasylechko, L.O., see Savytskii, D.I. 209 (2000) 874
Vázquez, L., see Vasco, E. 209 (2000) 883
Veuhoff, E., see Kröner, P. 209 (2000) 424
Vilela, M.F., see Freundlich, A. 209 (2000) 435
Vilela, M.F., see Freundlich, A. 209 (2000) 481
Vostokov, N.V., I.V. Dolgov, Yu.N. Drozdov, Z.F. Krasil'nik, D.N. Lobanov, L.D. Moldavskaya, A.V. Novikov, V.V. Postnikov and D.O. Filatov, Transition from "dome" to "pyramid" shape of self-assembled GeSi islands 209 (2000) 302

Wagner, G., U. Lange, K. Bente, J. Lenzner and M. Lorenz, Defect structure of monocrystalline (0 0 1)-oriented $Zn_{0.62}Cu_{0.19}In_{0.19}S$ films grown on GaP by pulsed laser deposition (PLD) 209 (2000) 68
Wagner, J., see Simanowski, S. 209 (2000) 15
Wallrafen, F., see Savytskii, D.I. 209 (2000) 874
Walther, C., W. Hoerstel, H. Niehus, J. Erxmeyer and W.T. Masselink, Growth, structural, and electrical investigation of self-assembled InAs quantum wires on (0 0 1)InP 209 (2000) 572
Walther, M., see Simanowski, S. 209 (2000) 15
Wang, H.L., D. Ning and S.L. Feng, Temperature dependence of the optical properties of InAs/GaAs self-organized quantum dots with bimodal size distribution 209 (2000) 630
Wang, J.Y., see Fang, C.S. 209 (2000) 542
Wang, L., see Gong, Y. 209 (2000) 43
Wang, Y., L.L. Regel and W.R. Wilcox, Influence of contact angle, growth angle and melt surface tension on detached solidification of InSb 209 (2000) 175
Wang, Y.T., see Pan, Z. 209 (2000) 648
Wang, Z.G., see Chen, Y. 209 (2000) 994
Wang, Z.P., see Chen, Y. 209 (2000) 994
Watahiki, T., A. Yamada and M. Konagai, New approach to low-temperature Si epitaxy by using hot wire cell method 209 (2000) 335
Watanabe, K., see Mano, T. 209 (2000) 504
Watanabe, K., see Hamai, M. 209 (2000) 1013
Watanabe, M., see Fons, P. 209 (2000) 532
Wei, J.Q., see Fang, C.S. 209 (2000) 542
Weimann, G., see Simanowski, S. 209 (2000) 15
Whitaker, T.J., see Balmer, R.S. 209 (2000) 486
Wilcox, W.R., see Wang, Y. 209 (2000) 175
Wilcox, W.R., see Popov, D.I. 209 (2000) 181
Witomski, P., see Despréaux, S. 209 (2000) 983
Woods, N.J., see Tok, E.S. 209 (2000) 297
Woods, N.J., see Tok, E.S. 209 (2000) 321
Wu, Q., see Su, G. 209 (2000) 220
Wu, R.H., see Xu, D. 209 (2000) 203
Wu, R.H., see Pan, Z. 209 (2000) 648
Wyon, C., see Baron, T. 209 (2000) 1004

Xia, G., see Gong, Y. 209 (2000) 43
Xie, Y., see Zhang, W. 209 (2000) 213
Xu, D., H. Yang, S.F. Li, D.G. Zhao, H. Ge and R.H. Wu, Pulsed excimer laser annealing of Mg-doped cubic GaN 209 (2000) 203
Xu, G., X.M. Fang, P.J. McCann and Z. Shi, MBE growth of wide band gap $Pb_{1-x}Sr_xSe$ on Si(1 1 1) substrate 209 (2000) 763
Xu, T., see Chen, X.L. 209 (2000) 208
Xu, X.P., see Chen, X.L. 209 (2000) 208

Yamada, A., see Watahiki, T. 209 (2000) 335
Yamada, A., see Matsuzaki, Y. 209 (2000) 509
Yamada, A., see Iwata, K. 209 (2000) 526
Yamada, A., see Fons, P. 209 (2000) 532
Yamada, T., M. Tachikawa, T. Nishioka and T. Yamada, Poly-crystalline silicon with large grains deposited from Al–Si melt 209 (2000) 50
Yamada, T., see Yamada, T. 209 (2000) 50
Yamaguchi, H., see Bahng, W. 209 (2000) 767
Yamaguchi, S., see Kariya, M. 209 (2000) 419
Yamamoto, A., see Katayama, T. 209 (2000) 450
Yamamoto, H., see Takahashi, N. 209 (2000) 822
Yamamoto, Y., see Honda, T. 209 (2000) 392
Yamaoka, S., see Akaishi, M. 209 (2000) 999
Yan, Z., S. Naritsuka and T. Nishinaga, Two-dimensional numerical calculation of solute diffusion in microchannel epitaxy of InP 209 (2000) 1
Yang, G.C., see Liu, Y.C. 209 (2000) 963
Yang, H., see Xu, D. 209 (2000) 203
Yang, J.H., see Liu, Y.C. 209 (2000) 963
Yang, Q.K., J.X. Chen and A.Z. Li, Growth and characterization of high-quality GaInAs/AlInAs triple wells 209 (2000) 8
Yao, H., see Su, G. 209 (2000) 220
Yao, T., see Hong, S.-K. 209 (2000) 537
Yao, T., see Ko, H.J. 209 (2000) 816
Ye, Z.-G., see Dong, M. 209 (2000) 81
Yeckel, A. and J.J. Derby, Effect of accelerated crucible rotation on melt composition in high-pressure vertical Bridgman growth of cadmium zinc telluride 209 (2000) 734
Yin, S., see Li, Y. 209 (2000) 867
Yodo, T., M. Toyama, Y. Imai and H. Shirasawa, Influences of off-angle and off-direction of substrate on crystalline quality of GaAs and Ge heteroepitaxial films grown on vicinal Si(1 1 0) substrates by molecular-beam epitaxy 209 (2000) 724
Yonemura, S., see Sasaki, M. 209 (2000) 373
Yoon, S.F., P.Y. Lui and H.Q. Zheng, Characterization of Si-doped $Ga_{0.52}In_{0.48}P$ grown by solid source molecular beam epitaxy using deep level transient spectroscopy 209 (2000) 653
Yoshida, H., see Mozume, T. 209 (2000) 445
Yoshida, S., see Ferro, G. 209 (2000) 415
Yoshida, T., see Nishizawa, J. 209 (2000) 327
Yoshida, T., see Ohtsuka, K. 209 (2000) 331
Yu, D.P., see Feng, S.Q. 209 (2000) 513
Yu, H., see Gong, Y. 209 (2000) 43
Yu, Y.D., see Chen, X.L. 209 (2000) 208
Yuan, Y., see Li, Y. 209 (2000) 867

Zaldo, C., see Vasco, E. 209 (2000) 883
Zanotti-Fregonara, C., see Prete, P. 209 (2000) 279
Zelaya-Angel, O., see Pérez Bueno, J.J. 209 (2000) 701
Zhang, H., see Zheng, L.L. 209 (2000) 110

Zhang, H.Z., see Feng, S.Q. 209 (2000) 513
Zhang, J., see Tok, E.S. 209 (2000) 297
Zhang, J., see Price, R.W. 209 (2000) 306
Zhang, J., see Tok, E.S. 209 (2000) 321
Zhang, L., see Zhang, W. 209 (2000) 213
Zhang, L.D., see Meng, G.W. 209 (2000) 801
Zhang, M.H., Y.F. Zhang, Q. Huang, C.L. Bao, J.M. Sun and J.M. Zhou, Photoluminescence characterization of Si-doped low-temperature grown GaAs and GaAs/AlGaAs multiple quantum wells 209 (2000) 37
Zhang, W., Z. Hui, Y. Cheng, L. Zhang, Y. Xie and Y. Qian, A hydrothermal method for low-temperature growth of nanocrystalline pyrite nickel diselenide 209 (2000) 213
Zhang, W., see Pan, Z. 209 (2000) 648
Zhang, W., see Chen, Y. 209 (2000) 994
Zhang, Y.F., see Zhang, M.H. 209 (2000) 37
Zhao, D.G., see Xu, D. 209 (2000) 203
Zheng, H.Q., see Yoon, S.F. 209 (2000) 653
Zheng, L.L., D.J. Larson Jr. and H. Zhang, Revised form of Jackson–Hunt theory: application to directional solidification of MnBi/Bi eutectics 209 (2000) 110
Zhou, J.M., see Zhang, M.H. 209 (2000) 37
Zhou, W., see Chen, Y. 209 (2000) 994
Zhou, Y., see Liu, X. 209 (2000) 751
Zhou, Y.H., see Liu, Y.C. 209 (2000) 963
Zhou, Y.K., H. Asahi, A. Ayabe, K. Takenaka, M. Fushida, K. Asami and S. Gonda, Gas-source MBE growth of Tl-based III–V semiconductors and their Raman scattering characterization 209 (2000) 547
Zhou, Z.Q., see Pan, Z. 209 (2000) 648
Zhu, J., see Liu, J. 209 (2000) 795
Zhu, Z.M., see Chen, Y. 209 (2000) 994
Zucchelli, L., see Rigo, C. 209 (2000) 471

ELSEVIER

Journal of Crystal Growth 209 (2000) 1036–1038

JOURNAL OF CRYSTAL GROWTH

www.elsevier.nl/locate/jcrysgro

Subject index

Apparatus
- for bismuth telluride foils 773
- for chemical beam epitaxy 486
- for group IV materials 789
- for levitating crystal growth 1013
- for metalorganic molecular beam epitaxy of gallium arsenide 435
- for rapid enlargement of ingots 767
- for real time process monitoring 290

Cellular growth
- of ice 167
Computer simulation
- of Bridgman growth of benzene 934
- of finite volume method 55
- of gibbsite growth 159
- of melt composition 734
- of solute diffusion 1
Constitutional supercooling
- of bismuth telluride 773
- of potassium chloride 167
Convection 734, 751, 934

Dendritic growth
- of quasi crystals 963
Device characterization
- electronic materials 666
- heterojunctions 424, 440, 454, 537, 572
- lasers 15, 537, 661
- resonant tunneling diodes 315
- photonic dots 518
- quantum wells 8, 15, 27, 424, 450
- quantum wires and dots 572, 994, 1004
- semiconductor optical amplifiers 471
- solar cells 486
Diamond 779, 999
Diffusional control
- of beryllium 459
Dislocations
- in silver bromide 911

Electronic materials, see Device characterization
Epitaxy, see Thin film growth

Etching
- by surface oxidation 509
- chemical 263, 666, 855
- - of borates 102
- photolithographic 499
- thermal 267
Eutectic growth
- of manganese bismuth 110

Heterojunctions, see Device characterization
Hydrodynamics, see Convection

Kinetics
- of aggregation and agglomeration 924
- of dislocations 716
- of growth 43, 110, 146, 225, 297, 306, 355, 440, 572, 591, 963
- of interface control 242, 290, 297, 321, 424, 970
- of nucleation 198, 258, 492, 661

Lasers, see Device characterization
Lasers, crystals for
- of barium borate 861
- of bismuth tellurite 855
- of $Ca_3(Nb_{0.9}Ga_{0.09}Cr_{0.01})_{1.875}Ga_3O_{12}$ 867
- of lithium yttrium fluoride 906
- of potassium yttrium tungstate 895
- of yttrium aluminum oxide 874

Melt growth technique
- by Bridgman–Stockbarger method
- - of benzene 934
- - of cadmium telluride 709
- - of indium antimonide 175
- - of indium phosphide 21
- - of lithium yttrium fluoride 906
- - of potassium yttrium tungstate 895
- by Czochralski method
- - of aluminum tungstate–lutetium tungstate 217
- - of borates 102
- - of lanthanum neodymium gadolinium oxide 75
- - of silicon 55
- by floating zone method
- - of barium boron aluminate 850

0022-0248/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0022-0248(00)00003-8

– – of bismuth tellurite 855
– – of gallium indium antimonide 625
– by uniaxial solidification
– – of ice 122
– – of indium antimonide 175
– – of lamellar eutectic 181
– by zone melting
– – of cadmium zinc telluride 701
Microgravity, growth under
– of tin bismuth alloys 970
Morphological stability
– of amino acid 138
– of dislocations in silicon 716
– of growth sectors 81
– of ice 167
– of silicon germanium 311
– of zinc oxide 526, 532

Nucleation
– of gallium arsenide 591
– of quasi crystals 963
– of silicon dots 1004
Numbers
– Grashof 734, 970
– Peclet 734, 970
– Schmidt 970

Phase diagrams
– of indium arsenide–gallium arsenide 504
– of lysozyme 130, 1018
– of oxide systems 890
Precursor
– for III–V compounds 272

Quantum wells, see Device characterization
Quantum wires and dots, see Device characterization

Solution growth technique
– by chemical deposition
– – of cadmium selenide 695
– by flux method
– – of borates 102, 861
– – of lead magnesium niobium titanium oxide 81
– by hydrothermal growth
– – of gallium nitride 208
– – of pyrite nickel diselenide 213
– by levitating growth 1013
– by sputtering 50
– theory
– – of growth mechanism 138
– – of L-lysine-doped triglycine sulphate 220
– – of supersaturation of lysozyme 130
Stefan problem, or moving boundary problem
– of meniscus 983
– of mercury cadmium telluride 751
Superlattices, multilayers
– of magnesium oxide 91
– of oxides 828
– of silicon germanium carbide 789
– of III–V compounds 8, 247, 648, 994
Surface energy, determination
– of gallium arsenide 431
Surface structure
– of gallium arsenide 225, 267
– of gallium phosphate 637
– of gallium phosphate antimonide 637
– of gibbsite 159
– of indium phosphide 225
– of magnesium oxide 91
– of silver bromide 911
– of zinc oxide 532

Thin film growth, epitaxy
– by atomic layer epitaxy
– – of silicon 327
– by gas source molecular beam epitaxy
– – of tallium gallium arsenide 547
– – of tallium gallium phosphide 547
– by liquid phase epitaxy
– – of gallium phosphide 666
– by metalorganic molecular beam epitaxy
– – of aluminum arsenide 286
– – of aluminum gallium arsenide 286
– – of gallium arsenide 286, 435, 509, 614, 621
– – of gallium indium arsenide 499
– – of gallium nitride 392
– – of indium phosphide 499
– – of zinc sulphide 518
– by molecular beam epitaxy
– – of aluminum arsenide selenide 247
– – of aluminum gallium arsenide 37, 440, 445, 994
– – of aluminum indium arsenide 8
– – of aluminum indium phosphide 459
– – of aluminum oxide 537
– – of gallium arsenide 37, 258, 431, 440, 572, 591, 648, 724
– – of gallium indium arsenide 8
– – of gallium indium nitride 364, 401
– – of gallium indium nitride arsenide 345
– – of gallium indium phosphide 459, 653
– – of gallium nitride 355, 364, 368, 373, 378, 382, 387, 396, 537, 816
– – of gallium nitride arsenide 648
– – of germanium silicon alloys 302
– – of indium arsenide 572, 630, 661
– – of indium gallium antimonide 450
– – of indium gallium arsenide 242, 247, 440, 445, 504, 994
– – of indium gallium phosphide 471
– – of indium phosphide 237, 450, 661
– – of lead strontium selenide 763
– – of manganese antimonide 552, 556
– – of manganese arsenide 599
– – of silicon 331
– – of silicon carbide 415
– – of silicon dioxide 331

- - of zinc oxide 522, 526, 537, 816
- by pulsed laser deposition 68, 883
- by vapor growth technique
- - through evaporation and condensation
- - - of aluminum nitride 406
- - - of p-nitrophenyl nitroxide 146
- - - of silicon carbide 767, 801
- - - of zinc selenide 675, 687
- by vapor phase epitaxy
- - through chemical vapor deposition
- - - of gallium indium nitride arsenide 339, 350
- - - of silicon 716, 807
- - - of zinc chloride 822
- - - of zinc oxide 822
- - through hot-wire chemical vapor deposition
- - - of silicon 335
- - through metalorganic chemical vapor deposition
- - - of aluminum indium antimonide 567
- - - of aluminum indium nitride 419
- - - of aluminum nitride 410, 419
- - - of gallium arsenide 43
- - - of gallium indium arsenide 27
- - - of gallium indium arsenide phosphide 424, 463
- - - of gallium indium phosphide 605
- - - of gallium nitride 203, 419, 581
- - - of indium antimonide 567
- - - of indium gallium arsenide 476
- - - of indium gallium arsenide phosphide 476
- - - of strontium tantalum oxide 1009
- - - of zinc selenide 279, 683
- - - of zinc sulphide 279
- - - of zinc sulphide selenide 279
- - through pulsed laser deposition 828, 842
- theory
- - of growth modes 637

Vapor growth technique
- by chemical transport
- - of zinc selenide 542
- by physical transport
- - of zinc selenide 542

Vapor–liquid–solid growth
- of silicon 513

Whisker growth
- of silicon carbide 801